

PRIVATE WELL TESTING ACT (PWTA)

Parameters Required by County

Prepared by QC Laboratories (215-355-3900)

www.qclaboratories.com/pwta

Required parameters	COUNTIES																				
	Atlantic	Bergen	Burlington	Camden	Cape May	Cumberland	Essex	Gloucester	Hudson	Hunterdon	Mercer	Middlesex	Monmouth	Morris	Ocean	Passaic	Salem	Somerset	Sussex	Union	Warren
<i>Total Coliform</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Fecal Coliform or E. Coli</i>	(Required in all counties only if Total Coliform tests positive)																				
<i>Nitrates</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Iron</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Manganese</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>pH</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Volatile Organics</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Lead</i>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
<i>Arsenic</i>		x					x		x	x	x	x		x		x		x		x	
<i>Mercury</i>	x		x	x	x	x		x					x		x		x				
<i>Gross Alpha</i>	*2		*2	*2	*3	*1		*1		*3	*3	*3	*3		*3		*2				

Requirement for Gross Alpha testing

*1 = testing required 180 days after the effective date

*2 = testing required 1 year after the effective date

*3 = testing required 18 months after the effective date